



InformedDNA®
Genetics, Decoded.

Pharmacogenomic Testing

Policy Number: GT06

Last Review Date: 01/09/2026
Previous Review Date: 07/03/2025



Table of Contents

Scope	3
State Biomarker Legislation.....	3
Guideline Coverage Criteria	3
Pharmacogenomic Testing.....	3
Key Terms and Definitions	4
CPT® Codes	4
Change Summary	7

Scope

This evidence-based guideline addresses pharmacogenomic testing for the purpose of informing medication selection, dosage, and risk of adverse side effects.

This guideline's coverage criteria delineate medically necessary clinical scenarios for molecular testing and may include specific situations when testing is considered never medically necessary. In general, molecular testing is considered never medically necessary when evidence demonstrating its ability to improve diagnosis, management, or clinical outcomes is lacking in peer-reviewed literature.

- Please refer to the Somatic Tumor Testing guideline for tumor testing.

State Biomarker Legislation

Medical necessity determinations must also take into consideration controlling state coverage mandates that may supersede these guidelines when applicable. When state biomarker legislation requirements impact coverage decisions, this guideline will initially be applied to determine if criteria are met for approval. If an approval cannot be granted based on the criteria in this guideline, some or all of the following sources will be reviewed, as defined by applicable state legislation, to determine if test coverage is supported in a manner that is consistent with the state biomarker legislation requirements:

- Medicare National Coverage Determinations (NCDs)
- Medicare Local Coverage Determinations (LCDs)
- U.S. Food and Drug Administration (FDA) approved or cleared tests
- Tests indicated for an FDA-approved drug
- Nationally recognized clinical practice guidelines
- Consensus statements

Guideline Coverage Criteria

Pharmacogenomic Testing

Testing of common variants associated with drug metabolism is medically necessary when all of the following criteria are met:

- The clinical benefit of testing outweighs the potential risk of psychological or medical harm to the individual being tested
- The test is as targeted as possible for the clinical situation (e.g., genes related to phenotype)
- Identification of the genetic variant is required or recommended in a specific population prior to initiating therapy with the target drug as noted by the U.S. Food and Drug Administration (FDA)-approved prescribing label **OR**
- All of the following:

- The individual is a candidate for a targeted drug therapy associated with a specific genotype
- The results of the test will directly impact clinical decision-making and clinical outcome for the individual
- Published, peer-reviewed studies have proven that identifying the specific genetic variant improves clinical outcomes

Multi-gene assays in which each included target does not meet the above criteria are not medically necessary.

Criteria listed above are based primarily on the following resources. Publications issued after this guideline's effective date will be evaluated on an individual basis until criteria are incorporated in the next iteration of this guideline.

- Clinical Pharmacogenetics Implementation Consortium (CPIC): <https://cpicpgx.org/genes-drugs/>
- Food and Drug Administration (FDA): <https://www.fda.gov/drugs/science-and-research-drugs/table-pharmacogenomic-biomarkers-drug-labeling>

Key Terms and Definitions

Common variants are genetic changes that occur at a relatively high frequency in the population.

Genotype refers to the genetic makeup of an individual.

Multi-gene panels simultaneously analyze multiple genes associated with a particular condition or a group of related conditions.

Pharmacogenomics is a type of precision medicine that studies the influence of an individual's genotype on their body's response to medications.

Pharmacogenomic testing is a type of genetic testing that examines an individual's genetic variations to predict their response to certain medications.

Phenotype refers to the observable characteristics or features of a genetic disorder.

CPT[®] Codes

Medical necessity review of claims may include evaluation of the submitted codes. Laboratories must accurately represent their services using the most applicable and specific CPT code(s). Tier 1 molecular pathology procedure codes or Proprietary Laboratory Analyses (PLA) codes should be used when available for the specific test. Tier 2 molecular pathology procedure codes should only be used if the American Medical Association (AMA) has specifically assigned the performed test to such a code. Genomic sequencing procedures (GSP) codes (e.g., CPT codes 81410-81471) were developed by the AMA to represent multi-gene panels utilizing DNA or RNA analysis for specific clinical scenarios (e.g., carrier screening, tumor testing, etc.) and should be utilized when applicable.

Coding guidelines can be found in the AMA's CPT manual as well as the Centers for Medicare and Medicaid Services (CMS) National Correct Coding Initiative (NCCI) policy manuals. NCCI General Correct Coding Policy states that procedures should be reported with the most

comprehensive CPT code describing the services performed and that the services described by a CPT code cannot be unbundled into multiple less specific codes. Additionally, GSP codes should be utilized when appropriate for the described test and should not be submitted along with other CPT codes that represent components of the GSP code.

Claims may not be approved if the submitted codes are not the most appropriate for the described procedure (i.e., as accurate and specific as available).

The following code(s) are medically necessary when coverage criteria are met. This list is not all inclusive.

Code	Full Description
81225	CYP2C19 (cytochrome P450, family 2, subfamily C, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17)
81226	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *9, *10, *17, *19, *29, *35, *41, *1XN, *2XN, *4XN)
81227	CYP2C9 (cytochrome P450, family 2, subfamily C, polypeptide 9) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *5, *6)
81230	CYP3A4 (cytochrome P450 family 3 subfamily A member 4) (eg, drug metabolism), gene analysis, common variant(s) (eg, *2, *22)
81231	CYP3A5 (cytochrome P450 family 3 subfamily A member 5) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *7)
81232	DPYD (dihydropyrimidine dehydrogenase) (eg, 5-fluorouracil/5-FU and capecitabine drug metabolism), gene analysis, common variant(s) (eg, *2A, *4, *5, *6)
81283	IFNL3 (interferon, lambda 3) (eg, drug response), gene analysis, rs12979860 variant
81306	NUDT15 (nudix hydrolase 15) (eg, drug metabolism) gene analysis, common variant(s) (eg, *2, *3, *4, *5, *6)
81328	SLCO1B1 (solute carrier organic anion transporter family, member 1B1) (eg, adverse drug reaction), gene analysis, common variant(s) (eg, *5)
81335	TPMT (thiopurine S-methyltransferase) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3)
81350	UGT1A1 (UDP glucuronosyltransferase 1 family, polypeptide A1) (eg, drug metabolism, hereditary unconjugated hyperbilirubinemia [Gilbert syndrome]) gene analysis, common variants (eg, *28, *36, *37)
81355	VKORC1 (vitamin K epoxide reductase complex, subunit 1) (eg, warfarin metabolism), gene analysis, common variant(s) (eg, -1639G>A, c.173+1000C>T)
0030U	Drug metabolism (warfarin drug response), targeted sequence analysis (ie, CYP2C9, CYP4F2, VKORC1, rs12777823)
0034U	TPMT (thiopurine S-methyltransferase), NUDT15 (nudix hydroxylase 15)(eg, thiopurine metabolism), gene analysis, common variants (ie, TPMT *2, *3A, *3B, *3C, *4, *5, *6, *8, *12; NUDT15 *3, *4, *5)
0070U	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism) gene analysis, common and select rare variants (ie, *2, *3, *4, *4N, *5, *6, *7, *8, *9, *10, *11, *12, *13, *14A, *14B, *15, *17, *29, *35, *36, *41, *57, *61, *63, *68, *83, *xN)

AMA CPT® Professional 2026. American Medical Association

The following code(s) are considered never medically necessary. This list is not all inclusive.

Code	Full Description
81291	MTHFR (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677T, 1298C)
81346	TYMS (thymidylate synthetase) (eg, 5-fluorouracil/5-FU drug metabolism), gene analysis, common variant(s) (eg, tandem repeat variant)
81418	Drug metabolism (eg, pharmacogenomics) genomic sequence analysis panel, must include testing of at least 6 genes, including CYP2C19, CYP2D6, and CYP2D6 duplication/deletion analysis
0029U	Drug metabolism (adverse drug reactions and drug response), targeted sequence analysis (ie, CYP1A2, CYP2C19, CYP2C9, CYP2D6, CYP3A4, CYP3A5, CYP4F2, SLCO1B1, VKORC1 and rs12777823)
0031U	Drug metabolism (warfarin drug response), targeted sequence analysis (ie, CYP2C9, CYP4F2, VKORC1, rs12777823)
0032U	COMT (catechol-O-methyltransferase)(drug metabolism) gene analysis, c.472G>A (rs4680) variant
0033U	HTR2A (5-hydroxytryptamine receptor 2A), HTR2C (5-hydroxytryptamine receptor 2C) (eg, citalopram metabolism) gene analysis, common variants (ie, HTR2A rs7997012 [c.614-2211T>C], HTR2C rs3813929 [c.- 759C>T] and rs1414334 [c.551-3008C>G])
0071U	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism) gene analysis, full gene sequence (List separately in addition to code for primary procedure) (Use 0071U in conjunction with 0070U)
0072U	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism) gene analysis, targeted sequence analysis (ie, CYP2D6-2D7 hybrid gene) (List separately in addition to code for primary procedure) (Use 0072U in conjunction with 0070U)
0073U	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism) gene analysis, targeted sequence analysis (ie, CYP2D7-2D6 hybrid gene) (List separately in addition to code for primary procedure) (Use 0073U in conjunction with 0070U)
0074U	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism) gene analysis, targeted sequence analysis (ie, non-duplicated gene when duplication/multiplication is trans) (List separately in addition to code for primary procedure) (Use 0074U in conjunction with 0070U)
0075U	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism) gene analysis, targeted sequence analysis (ie, 5' gene duplication/multiplication) (List separately in addition to code for primary procedure) (Use 0075U in conjunction with 0070U)
0076U	CYP2D6 (cytochrome P450, family 2, subfamily D, polypeptide 6) (eg, drug metabolism) gene analysis, targeted sequence analysis (ie, 3' gene duplication/ multiplication) (List separately in addition to code for primary procedure) (Use 0076U in conjunction with 0070U)
0345U	Psychiatry (eg, depression, anxiety, attention deficit hyperactivity disorder [ADHD]), genomic analysis panel, variant analysis of 15 genes, including deletion/duplication analysis of CYP2D6
0347U	Drug metabolism or processing (multiple conditions), whole blood or buccal specimen, DNA analysis, 16 gene report, with variant analysis and reported phenotypes
0348U	Drug metabolism or processing (multiple conditions), whole blood or buccal specimen, DNA analysis, 25 gene report, with variant analysis and reported phenotypes
0349U	Drug metabolism or processing (multiple conditions), whole blood or buccal specimen, DNA analysis, 27 gene

	report, with variant analysis, including reported phenotypes and impacted gene-drug interactions
0350U	Drug metabolism or processing (multiple conditions), whole blood or buccal specimen, DNA analysis, 27 gene report, with variant analysis and reported phenotypes
0411U	Psychiatry (eg, depression, anxiety, attention deficit hyperactivity disorder [ADHD]), genomic analysis panel, variant analysis of 15 genes, including deletion/duplication analysis of CYP2D6
0419U	Neuropsychiatry (eg, depression, anxiety), genomic sequence analysis panel, variant analysis of 13 genes, saliva or buccal swab, report of each gene phenotype
0434U	Drug metabolism (adverse drug reactions and drug response), genomic analysis panel, variant analysis of 25 genes with reported phenotypes
0460U	Oncology, whole blood or buccal, DNA single-nucleotide polymorphism (SNP) genotyping by real-time PCR of 24 genes, with variant analysis and reported phenotypes
0461U	Oncology, pharmacogenomic analysis of single-nucleotide polymorphism (SNP) genotyping by real-time PCR of 24 genes, whole blood or buccal swab, with variant analysis, including impacted gene-drug interactions and reported phenotypes
0476U	Drug metabolism, psychiatry (eg, major depressive disorder, general anxiety disorder, attention deficit hyperactivity disorder [ADHD], schizophrenia), whole blood, buccal swab, and pharmacogenomic genotyping of 14 genes and CYP2D6 copy number variant analysis and reported phenotypes
0477U	Drug metabolism, psychiatry (eg, major depressive disorder, general anxiety disorder, attention deficit hyperactivity disorder [ADHD], schizophrenia), whole blood, buccal swab, and pharmacogenomic genotyping of 14 genes and CYP2D6 copy number variant analysis, including impacted gene-drug interactions and reported phenotypes
0516U	Drug metabolism, whole blood, pharmacogenomic genotyping of 40 genes and CYP2D6 copy number variant analysis, reported as metabolizer status

AMA CPT® Professional 2026. American Medical Association

Change Summary

Version	Review Date	Effective Date	Summary of Revisions
Created	CSC: 8/11/2022 PAB: 9/12/2022	November 2022	Not applicable
v1.2023	COOC: 2/15/2023 PAB: 3/16/2023	April 1, 2023	Semi-annual review. No criteria changes.
v2.2023	COOC: 8/16/2023 PAB: 9/25/2023	October 1, 2023	Semi-annual review. No criteria changes. The stance for 81340 was changed to medically necessary.
v1.2024	COOC: 2/14/2024 PAB: 3/25/2024	April 1, 2024	Semi-annual review. Warfarin criteria were removed since general coverage criteria are applicable. Coverage stance for 81346 TYMS was corrected to ever medically necessary. 81328 SLCO1B1 is now considered medically necessary. Clarifications were made to the scope and CPT code sections. References were updated.
v2.2024	COOC: 8/19/2024	October 1, 2024	Semi-annual review. No criteria changes.

	PAB: 9/20/2024		
v1.2025	COOC: 02/17/2025 PAB: 03/24/2025	July 3, 2025	Semi-annual review.No criteria changes. References were updated.
v1.2026	COOC: 8/5/2025 PAB: 09/16/2025	January 9, 2026	Semi-annual review. No criteria changes. Key references were added as rationale under each criteria section replacing the formal reference section.