

2025 Magnetic Resonance Angiography/Venography (MRA/ MRV) Upper Extremities

Diagnostic Imaging

MRA-UpperEXT-HH
Copyright © 2025 WNS (Holdings) Ltd.

Last Review Date: 05/21/2025
Previous Review Date: 10/28/2024
Guideline Initiated: 06/30/2019





A WNS COMPANY

Table of Contents

Magnetic Resonance Angiography/Venography (MRA/MRV) Upper Extremities	3
MRA Upper Extremities Related National Coverage Determination (NCD)/Local Coverage Determination (LCD)	3
Clinical Judgment	3
MRA Contraindications	3
Preamble: Pediatric Diagnostic Imaging	4
MRA/MRV Upper Extremities Guideline	4
MRA/MRV Upper Extremities Summary of Changes	5
MRA/MRV Upper Extremities Procedure Codes	5
MRA/MRV Upper Extremities Definitions	6
MRA/MRV Upper Extremities References	7
Disclaimer section	9
Purpose	9
Clinician Review	9
Payment	9
Registered Trademarks (®/™) and Copyright (©)	9
National and Local Coverage Determination (NCD and LCD)	10
Background	10
Medical Necessity Codes	10

Magnetic Resonance Angiography/Venography (MRA/MRV) Upper Extremities

MRA Upper Extremities Related National Coverage Determination (NCD)/Local Coverage Determination (LCD)

Please refer to <https://www.cms.gov/medicare-coverage-database/search.aspx> if applicable to the individual's health plan membership.

Type/ID Number	Title
NCD 220.2	Magnetic Resonance imaging
LCD 33633	Magnetic Resonance Angiography
LCD 34424	Magnetic Resonance Angiography

Clinical Judgment

These medical policies are designed to provide clinical guidance and do not supplant a provider's independent professional judgment. Physicians retain full and independent authority to determine appropriate care based on each patient's individual clinical circumstances. Although services may be subject to documentation requirements, medical necessity review, or coverage limitations, nothing in this policy is intended to restrict or interfere with a physician's independent medical judgment.

MRA Contraindications

An MRA is contraindicated for **ANY** of the following:

- Safety, related to clinical status (eg, body mass index exceeds MR capability, intravascular stents within recent 6 weeks)
- Safety, related to contrast material (eg, allergy, renal impairment)
- Safety, related to implanted devices (aneurysm clip, cochlear implant, insulin pump, spinal cord stimulator)



IMPORTANT

Some implanted devices that were once absolute contraindications to a MRI, may now be accepted. Considerations include if the MRI is able to accommodate the device, or the device is deemed safe for MRI.

References: [5] [19] [13] [9] [2]

Preamble: Pediatric Diagnostic Imaging

HealthHelp's clinical guidelines for the Diagnostic Imaging program, are intended to apply to both adults and pediatrics (21 years of age or younger), unless otherwise specified within the criteria.

MRA/MRV Upper Extremities Guideline

Magnetic resonance angiography or magnetic resonance venography (MRA/MRV) of the upper extremities is considered medically appropriate when the documentation demonstrates **ANY** of the following:

1. Deep venous thrombosis (DVT) or embolism is suspected or known and **ANY** of the following:
 - a. Arterial emboli in the upper extremity is suspected.
 - b. Central veins evaluation
 - c. Ultrasound of arm veins is abnormal, non-diagnostic or indeterminate.

References: [18] [12] [6]

2. Hand ischemia is suspected or known and **ANY** of the following:
 - a. Post revascularization procedure with recurrent symptoms and ultrasound is non-diagnostic or indeterminate.
 - b. Ulcers are known and vascular cause is suspected when ultrasound is abnormal, non-diagnostic or indeterminate.
 - c. Vasculopathy (including Buerger disease and Raynaud's phenomenon) is suspected or known **AND** symptomatic (eg, cold, painful extremities, numbness) when ultrasound is abnormal.

References: [18] [4]

3. Post-surgical assessments for evaluation of complications or disease recurrence.

References: [18]

4. Vascular access dysfunction when ultrasound is non-diagnostic or indeterminate.

References: [18] [8] [10] [15]

5. Vascular disease (eg, atherosclerotic peripheral vascular disease, peripheral arterial aneurysms) is suspected when ultrasound is abnormal, non-diagnostic or indeterminate and **ANY** of the following:

- a. Aneurysm
- b. Stenosis/occlusions

- c. Trauma
- d. Tumor invasion
- e. Vasculitis

References: [18] [7] [1]

- 6. Vascular disease (eg, atherosclerotic peripheral vascular disease, peripheral arterial aneurysms) is known, for evaluation.

References: [18] [7] [1] [17]

- 7. Vascular malformation evaluation when an ultrasound is non-diagnostic or indeterminate.

References: [18] [14] [16]

MRA/MRV Upper Extremities Summary of Changes

MRA/MRV Upper Extremities guideline had the following version changes from 2024 to 2025:

Table 1. 2025 MRA/MRV Upper Extremities Summary of Changes

Date	Type of Change	Summary
05/21/2025	Annual	<ul style="list-style-type: none"> • Changed wording of the following: <ul style="list-style-type: none"> ▪ Peri-procedural indication ▪ "Hemodynamic graft dysfunction" to "Vascular access dysfunction" • Citations updated per the evidence • Removed the following as current evidence no longer supports the indication. <ul style="list-style-type: none"> ▪ "Acute symptoms" from under "Hand ischemia" as this is emergent criteria ▪ "and treatment planning depends on results" from "Ultrasound of arms is abnormal" under "Deep venous thrombosis" as this is too vague ▪ MRA/MRV Extremities: Special Circumstances as it is redundant ▪ "Prior <u>MRA upper extremities imaging is non-diagnostic or indeterminate</u>." as it is too broad ▪ "Traumatic injury is known" as this is an emergent indication

MRA/MRV Upper Extremities Procedure Codes

Table 1. MRA Upper Extremity Associated Procedure Codes

CODE	DESCRIPTION
73225	Magnetic resonance angiography, upper extremity, with or without contrast material(s)
C8934	Magnetic resonance angiography with contrast, upper extremity
C8935	Magnetic resonance angiography without contrast, upper extremity

CODE	DESCRIPTION
C8936	Magnetic resonance angiography without contrast followed by with contrast, upper extremity

MRA/MRV Upper Extremities Definitions

Aneurysm refers to weakness in an artery wall, allowing it to abnormally balloon out or widen.

Arteriovenous malformation (AVM) are congenital high-flow vascular malformations characterized by abnormal shunting of blood from high-flow feeding arteries to low-resistance veins via a cluster of aberrant blood vessels termed a central nidus, bypassing the normal capillary bed.

Buerger's disease (also known as thromboangiitis obliterans) affects blood vessels in the body, most commonly in the arms and legs. Blood vessels swell, which can prevent blood flow, causing clots to form. This can lead to pain, tissue damage and even gangrene (the death or decay of body tissues).

Embolism is an obstruction of an artery, typically by a clot of blood or an air bubble, that has traveled from another part of the body.

Indeterminate findings are inconclusive or insufficient for treatment planning.

Ischemia is a deficient supply of blood to a body part (such as the heart or brain) due to obstruction of the inflow of arterial blood.

Magnetic resonance angiogram (MRA) is a test that uses a magnetic field and pulses of radio wave energy to provide images of blood vessels inside the body, allowing for evaluation of blood flow and blood vessel wall condition. MRA is used to look for aneurysms, clots, tears in the aorta, arteriovenous malformations and stenosis caused by plaque in the carotid arteries (neck) or blood vessels leading to the lungs, kidneys or legs.

Magnetic resonance venogram (MRV) is a diagnostic procedure that uses a combination of a large magnet, radiofrequencies, and a computer to produce detailed images of organs and structures within the body. An MRV uses magnetic resonance technology and intravenous (IV) contrast dye to visualize the veins. Contrast dye causes the blood vessels to appear opaque on the X-ray image, allowing the visualization the blood vessels being evaluated. MRV is useful in some cases because it can help detect causes of leg pain other than vein problems.

Non-diagnostic is a result that does not lead to a confirmed diagnosis.

Pediatric approximate ages are defined by the US Department of Health (USDH), the Food and Drug Administration (FDA), and the American Academy of Pediatrics (AAP) as the following:

1. Infancy, between birth and 2 years of age
2. Childhood, from 2 to 12 years of age
3. Adolescence, from 12 to 21 years of age, further defined by the AAP into:
 - a. Early (ages 11–14 years)

- b. Middle (ages 15–17 years),
- c. Late (ages 18–21 years)
- d. Older ages may be appropriate for children with special healthcare needs.

Raynaud's phenomenon/syndrome is a vascular disorder marked by recurrent spasm of the capillaries especially fingers and toes upon exposure to cold, characterized by pallor, cyanosis and redness in succession; usually accompanied by pain and in severe cases can progress to localized gangrene.

Stenosis is a narrowing or constriction of the diameter of a bodily passage or orifice.

Thrombosis is the formation of a blood clot (partial or complete blockage) within blood vessels, whether venous or arterial, limiting the natural flow of blood and resulting in clinical sequela.

Ulcerated is a break in the skin or mucous membrane with loss of surface tissue, disintegration and necrosis of epithelial tissue and often pus.

Ultrasound is the diagnostic or therapeutic use of ultrasound and especially a noninvasive technique involving the formation of images used for the examination and measurement of internal body structures and the detection of bodily abnormalities.

Vasculitis involves inflammation of the blood vessels. The inflammation can cause the walls of the blood vessels to thicken, which reduces the width of the passageway through the vessel. If blood flow is restricted, it can result in organ and tissue damage.

MRA/MRV Upper Extremities References

- [1] Aboyans, V., Ricco, J., . . . Zamorano, J.L. (2018). 2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS). *European Journal of Vascular and Endovascular Surgery*, 55(3), 305-368.
- [2] American College of Radiology. (2023). ACR Manual on Contrast Media. *American College of Radiology*. Retrieved: April 2025. https://www.acr.org/-/media/ACR/Files/Clinical-Resources/Contrast_Media.pdf
- [3] Bjorck, M., Earnshaw, J.J., . . . Rai, K. (2020). European Society for Vascular Surgery (ESVS) 2020 Clinical Practice Guidelines on the Management of Acute Limb Ischaemia. *European Journal of Vascular and Endovascular Surgery*, 59(2), 173-218.
- [4] Blum, A., Gillet, R., . . . Teixeira, P. G. (2021). CT angiography and MRI of hand vascular lesions: technical considerations and spectrum of imaging findings. *Insights into Imaging*, 12, 16.
- [5] Carpenter, J.P., Litt, H. & Gowda, M. (2023). Magnetic Resonance Imaging and Arteriography. A.N. Sidawy (Eds.). *Rutherford's Vascular Surgery and Endovascular Therapy* (30). (pp. 336-394.e4). Philadelphia, PA: Elsevier.

- [6] Desjardins, B., Hanley, M., . . . Dill, K.E. (2020). ACR Appropriateness Criteria Suspected Upper Extremity Deep Vein Thrombosis. *Journal of the American College of Radiology*, 17(5S), S315-S322.
- [7] Francois, C.J., Skulborstad, E.P., . . . Dill, K.E. (2019). ACR Appropriateness Criteria Nonatherosclerotic Peripheral Arterial Disease. *Journal of the American College of Radiology*, 16(5S), S174-S183.
- [8] Gonzalez, T.V., Bookwalter, C.A., . . . Rajiah, P.S. (2023). Multimodality imaging evaluation of arteriovenous fistulas and grafts: a clinical practice review. *Cardiovascular Diagnosis & Therapy*, 13(1), 196-211.
- [9] Gupta, S.K., Ya'qoub, L., . . . Saeed, I.M. (2020). Safety and Clinical Impact of MRI in Patients with Non-MRI-conditional Cardiac Devices. *Radiology: Cardiothoracic Imaging*, 2(5), e200086.
- [10] Higgins, M.C.S.S., Diamond, M., . . . Hohenwarter, E.J. (2023). ACR Appropriateness Criteria Dialysis Fistula Malfunction. *Journal of the American College of Radiology*, 20(11), S382-S412.
- [11] Hislop-Jambrich, J., Troupis, J., . . . Kuganesan, A. (2020). Dynamic CTA and MRA in a case of severe Raynaud's phenomenon. *Clinical Imaging*, 66, 133-136.
- [12] Kakkos, S.K., Gohel, M., . . . Vega de Ceniga, M. (2021). European Society for Vascular Surgery (ESVS) 2021 Clinical Practice Guidelines on the Management of Venous Thrombosis. *European Journal of Vascular & Endovascular Surgery*, 61(1), 9-82.
- [13] Maralani, P.J., Schieda, N., . . . Weinreb, J. (2020). MRI safety and devices: An update and expert consensus. *Journal of Magnetic Resonance Imaging*, 51(3), 657-674.
- [14] Obara, P., McCool, J., . . . Dill, K.E. (2019). ACR Appropriateness Criteria Clinically Suspected Vascular Malformation of the Extremities. *Journal of the American College of Radiology*, 16(11S), S340-S347.
- [15] Schmidli, J., Widmer, M.K., . . . Roca-Toy, R. (2018). Vascular Access: 2018 Clinical Practice Guidelines of the European Society for Vascular Surgery (ESVS). *European Journal of Vascular and Endovascular Surgery*, 55(6), 757-818.
- [16] Schmidt, V. F., Masthoff, M., . . . Widgruber, M. (2021). Imaging of peripheral vascular malformations—current concepts and future perspectives. *Molecular and Cellular Pediatrics*, 8, 1, 19.
- [17] Shamaki, G.R., Markson, F., . . . Tamunoinemi, B.M. (2022). Peripheral artery disease: a comprehensive updated review. *Current Problems in Cardiology*, 47(11), 101082.
- [18] Shankar, D.S., Rybalko, D.A., . . . Hausman, M.R. (2023). Applications of Vascular Imaging and Interventional Radiology Modalities in the Upper Extremity: A Review. *The Journal of Hand Surgery*, 48(2), 165-176.
- [19] Witte, D.H. (2021). Advanced Imaging in Orthopaedics. F.M. Azar & J.H. Beaty (Eds.). *Campbell's Operative Orthopaedics* (14), (pp. 141-176). Philadelphia, PA: Elsevier.



A WNS COMPANY

Disclaimer section

Purpose

The purpose of the HealthHelp's clinical guidelines is to assist healthcare professionals in selecting the medical service that may be appropriate and supported by evidence to safely improve outcomes. Medical information is constantly evolving, and HealthHelp reserves the right to review and update these clinical guidelines periodically. HealthHelp reserves the right to include in these guidelines the clinical indications as appropriate for the organization's program objectives. Therefore the guidelines are not a list of all the clinical indications for a stated procedure, and associated Procedure Code Tables may not represent all codes available for that state procedure or that are managed by a specific client-organization.

Clinician Review

These clinical guidelines neither preempt clinical judgment of trained professionals nor advise anyone on how to practice medicine. Healthcare professionals using these clinical guidelines are responsible for all clinical decisions based on their assessment. All Clinical Reviewers are instructed to apply clinical indications based on individual patient assessment and documentation, within the scope of their clinical license.

Payment

The use of these clinical guidelines does not provide authorization, certification, explanation of benefits, or guarantee of payment; nor do the guidelines substitute for, or constitute, medical advice. Federal and State law, as well as member benefit contract language (including definitions and specific contract provisions/exclusions) take precedence over clinical guidelines and must be considered first when determining eligibility for coverage. All final determinations on coverage and payment are the responsibility of the health plan. Nothing contained within this document can be interpreted to mean otherwise.

Registered Trademarks (®/™) and Copyright (©)

All trademarks, product names, logos, and brand names are the property of their respective owners and are used for purposes of information and/or illustration only. Current Procedural Terminology (CPT)®™ is a registered trademark of the American Medical Association (AMA). No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from HealthHelp.

National and Local Coverage Determination (NCD and LCD)



NOTICE

To ensure appropriate review occurs to the most current NCD and/or LCD, always defer to <https://www.cms.gov/medicare-coverage-database/search.aspx>.

Background

National Coverage Determinations (NCD) and Local Coverage Determinations (LCD) are payment policy documents outlined by the Centers for Medicare and Medicaid Services (CMS) and the government's delegated Medicare Audit Contractors (MACs) that operate regionally in jurisdictions.

CMS introduced variation between different jurisdictions/Medicare Audit Contractors (MACs) and their associated covered code lists with the transition to ICD 10. The variation resulted in jurisdictions independently defining how codes are applied for exclusions, limitations, groupings, ranges, etc. for the medical necessity indications outlined in the NCD and LCD. Due to this variation, there is an inconsistent use/application of codes and coverage determinations across the United States between the different MACs.

In addition, **WITHOUT** notice, CMS can change the codes that indicate medical necessity and the format of the coverage determinations/associated documents (eg, Articles). This is an additional challenge for organizations to keep up with ongoing, unplanned changes in covered codes and medical necessity indications.

Medical Necessity Codes

Due to the variation in code application between jurisdictions/MACs and that updates can happen without notification, HealthHelp is not able to guarantee full accuracy of the codes listed for any Coverage Determination, and advises that prior to use, the associated Coverage Determination Articles are reviewed to ensure applicability to HealthHelp's programs and any associated NCDs and LCDs.

For Internal Use Only:

11248 11249 11253 11282 11325 11328 11333 11349 11350 11351 11352 11354 11355 11356
11358 11359 11360 11361 11362 11365 11366 11367 11368 11369 11370 11374 11375 11394
11395 11396 11565